

Kiiko Matsumoto Santa Cruz, July 9-10, 2011

Liver Cancer Point:

Essential cancer point – Liv9/Inner Yin
can be between Kidney and Spleen channel
works especially well when cancer is in family
(add U.B.43)

Behind 2nd Toe – also cancer point
Kiiko says to massage or moxa, not needle (but she does...)

Radiation – use Kid9 + Kid27

“Radiation makes DU2 weak” (I believe she meant makes parasympathetic weakness)

Neuropathy:

Can be numb or over-sensitive

Use Stomach Qi
Meridians start at Ren12 (middle warmer)

What makes the movements through the meridians?

Ling Shu says “Stomach Qi”

In neuropathy – you need to get the engine moving

Neuropathy from chemicals, circulation is stopped

Start the engine with Stomach Qi

Stomach Qi – is “starter”

Look for bumps, dents, holes

3 points:

ST36 → ST40

around ST40

ST40 → ST41

do three points

take top one off, then do ST40-41

check again and do one more

then take out the ST40 area one and move it down also.

when pulse starts to move, you can move top needle

or – if neuropathy starts to change

If Stomach Qi line is too painful – use Ren12

this is in accordance to Manaka Root/Branch treatment

Stomach Qi pulse:

No forward movement, only up/down

Also lack of Stomach Qi type is when second position pulse has no depth

Kiiko says best is to do on same or next day of chemo treatment
this works and the neuropathy never sets in.

Cancer patient – Ren12 is hard to needle (nausea etc.)

clear Ren12 first:

use S.J.5 (or S.J.8)

on the back T5 is important

– Kiiko says 90% of people have pain here

T5 can be painful for a few reasons:

- Shen Dao (DU11) – emotional type
- Cardiac related
- Nerve goes to stomach
- Kyphosis type

Ren12 pain with stress

Use Immune points, S.J.16, G.B.20

Anemia – shows on Ren12

Lymph:

Lymph glands belong to Spleen

May show SP2 pressure pain

May show under ribs on left (more rare)

Use SP5 + SP9

On the back – under scapular spine (lung infection points)

Lymphedema – pinch the different channels to find which one is most involved

Which one feels thick –

and use Manaka Mu point of that channel (+ SP5/9)

Manaka Mu Point treatments:

Manaka used Mu points to treat the Branch (source points)

Ling Shu 66 – Mu (募) points is like Source (原) points, therefore affects Source points

(Kiiko started to talk about the characters but did not go into it)

The characters do not seem related –

Mu is Strength with hidden

Yuan is a spring coming from a cliff

Ling Shu 66 talks about how pathogens transmit from the channels to organs:
the reciprocal relation of abdomen and 5 Shu points)

Manaka's Mu points that are not the same as the traditional ones:

San Jiao – use ST25

Small Intestine – use ST26

Large Intestine – use ST27

Bladder – use Kid11

Kidney – use Kid11

Liver – use G.B.26

For G.B. channel use Liver Mu (G.B.26) and G.B.Mu (G.B.24)

This was somewhat unclear

After lymph removal, and they ask to not have needles in the arm –
if arm has problem, use the Mu point of associated channel

RSI – use Mu point

Carpal tunnel -

Liv8 – it is a tendon problem

Wrist – use opposite G.B.34

then check Mu points of corresponding channels

Kid6 – for puffy hands (also try for neuropathy)

“Mineral corticoid” problem – shows on Kid6

as in menopausal women with puffy hands

ST34 – important for cold hands (use Immune for cold feet)

Melanoma – removed, now pain, no mobility, also check Mu points

S.J.5 - Wai Guan 外關

Ling Shu – source point and source in abdomen
There is transportation between them
This is the San Jiao

use S.J.5 – if pulse is rapid
or S.J.8

To treat the Dan Tian “there is a lock, you need a key”

The character Guan (關) in both Ren4 and S.J.5 is 門(door) with a phonetic Guan
Kiiko says this phonetic means a lock
(it normally translates as weaving
but 關 is a “check point” so it has the connotation of locking regardless)

Men (門) has no lock

Guan (關) has the lock inside the gate

→ S.J.5 (Wai Guan 外關) to treat Ren4 (Guan Yuan - 關元)

Any abdominal surgeries – go to Dan Tian Slice (Mu Shu)

For lots of operations/scars in abdomen - use P.4 to send blood to abdomen

Liv5 type:

Liver deficiency with rapid pulse (Sympathetic dominance) – use Liv1
Liv5 for endometriosis

Gout (big toe or thumb) – use Liv5: sometimes opposite side
Kiiko says to treat again after 2-3 days
and it takes 3 treatments

Liv5 – anti-inflammatory for Lower Jiao

Liv8 is for uterus

Liv5 (Termite Hole) use for cancer: cancer is like a termite

Uterus – Liver

Fallopian tube (transportation) – Spleen

Ovaries – Kidney

Uterus – reflects on Ren4

Cervix – Ren3

Vaginal tissue – Ren2

Anti-inflammatory points –

Liv5 – better below navel

SP5 – better above navel

Obese type:

Essential point for obese type – U.B.43 HT7

Obese type – this is Spleen deficiency, use Earth on Fire – HT7: tonifies Spleen

Also G.B.27 (Mu Shu not inguinal)

Obese women tend to have menstruation issues – estrogen is fat

Detox:

Morphine point - 3 fingers below Kid10 (“Japanese Kid9”)

Detox (not pain killers) – use regular Kid9

If medication does not do a good job (or messes up):

Kid9 + L.I.15

Also check Liv2 (as in alcohol – it will show)

Liver does not like medications

L.I.15 – right side is more important (related to Liver)

IBS:

Reflects on –

Ren17, Ren15, Ren12, Liv14

bloated below navel

Treat: U.B.2 + Yu Yao

Left SP5 + SP9, Liv4 + Liv8 (even if no Fire point pain)

On back – T11.12 and T6 to T8

Gassy tummy – use IBS treatment.

Constipation:

Shows on left Spleen line pressed at 45° towards Stomach line

Use –

left SP10, left G.B.26

right G.B.43, 44

left ST44, 45

+ detox (Kid9 + L.I.15)

U.B.63 Jin Men – use for diarrhea (support Spleen)

Cystitis:

Cystitis – bladder is weak leading to fire/inflammation
this can be Earth not controlling Water
→ use Stomach Qi
Symptom is Fire, but origin is weakness

Cystitis – burning, irritation, pain (also non-bacterial, interstitial cystitis)
Nagano called “Excess in Water”
→ use Stomach Qi to control Bladder
But not for incontinence

Incontinence – use LU8 + DU2

Sextant (Ren21) for Ren2 pressure pain
(Kiiko says prolapse will show more on ST30 area, not Ren2)

Eyes:

Any eye problem – shows on S.I. channel clearly (neck/shoulder)

Glaucoma point –
Pinch ear together (top and bottom) and bring back to touch skull
Glaucoma often shows above U.B.10 (“screen” point)

G.B.39 –
Sui - 髓 is anything inside bone
(the character has “bone” and opposition
or “ramp” with “work of the left hand”)
G.B.39 – essential point for glaucoma

Can needle both on front and on back – easier to find on back
G.B.39 can be both towards Stomach or U.B. channels

G.B.39 – for H.A. behind eyes

Dry eyes – use G.B. Peyes points (G.B.5, 6, 7)

Red eyes – moxa middle of big toe

Itchy eyes – use L.I.2 (sty point – works for eyelid)

G.B.39:

for marrow
brain
head injury
Parkinson’s
eyeball pain
glaucoma

SCM:

Top of SCM – ear and TMJ reflex
Middle of SCM – neurological reflex
Bottom of SCM – thyroid reflex

Neurological issues:

Reflect on middle SCM
start checking/using DU2
use DU12
G.B.17 “Correct Function” – releases mid SCM

Kiiko said G.B.17 Zheng Ying 正營 (Upright/Correct Ying: as in Ying Qi, nourishing, but it has to do with army camps/management/regulating). She confirmed it by name, but she takes it more like G.B.8 and also said “look for the dent/valley.”
G.B.8 Shuai Gu 率谷 (Command/Lead Valley) Shuai – is threads inside a frame (brain?)

Bridge of nose injury – use U.B.11
U.B.1 area – use U.B.66/67

For DU20 injury – use G.B.18 Cheng Ling 承靈 (Receiving Soul/Intelligence)
again, it seemed like she was taking this more around G.B.9
Tian Chong (天衝 “Towards Heaven”)

Some menopause with irritability – originally head injury

Temporal H.A. (hairline) – use Immune points
Hairline H.A. comes from throat

Hot flushes –
SP9 + G.B.34

SP20 Zho Rong (周榮):

Zhou 周– Complete, cycle (Kiiko says Circle of circle)

Rong 榮– Flourishing (lush)

From SP20 channel goes down : SP20 is junction of Heart

Nourishing circle of circle → reflects Heart

therefore also Shen (inside Heart)

always check left SP20 for irregular heart beat

Ren9 concave – still use ST24 even if no pulse

Ren19 Zi Gong 紫宮 (Purple Palace)

After open heart surgery people will have pain on sternum

it can show in different areas on sternum

one place may be Ren19

Purple (Zi 紫) – is above the 5 colours of the 5 elements

Kid13 – is red

HT2 – is blue

If Purple Palace is messed up – fix blue and red

Kiiko says HT2 (Qing Ling -青宮 blue/green Soul) is the blue

and Kid13 (Qi Xue 氣穴) is the red

Kid13 – “Bright Big Red” – used for impotence, creates “big red”

I cannot find this reference (other names for Kid13 are

Bao Men, 胞門, Uterus gate, and Zi Hu, 子戶, Door to Chil

But, Kid13 is next Ren4 which can be the Dan Tian (Dan, red, 丹)

It seems there may be a whole different line of thinking around this as Qing Ling already has red in it: 青 Qing, Green/Blue (Sheng 生 + Dan 丹 growth that burns red or literally generating red), and if Purple is transcendent of the 5 colours, the Blue or green that transcends would be HT2 which often is thought of as Qing, Pure, 清 and Kid13 may have come from trying to complement the Palace part (Gong 宮) as in Zi Gong, 子宮, Uterus where the Zi is Child)

Ren20 Hua Gai 華蓋:

Flowery/Illustrious Lid

The “cover” refers to the lungs

U.B.5 Wu Chu 五處 (Five Locations/Dwellings):

Right Pulse

Ming Men

Spleen

Lung

Left Pulse

Kidney (Yin)

Liver

Heart

As the pulse on each side moves up it crosses sides:

Ming Men is on right, to Spleen on the left, to lung on the right

Kidney on the left to Liver on the right to Heart on the left

This creates two spirals with crossing points (but not exactly crossing, more behind/front of each other, like a microcosmic orbit)

Kiiko says why should the spirals stop at the chest? So they would continue and cross again at throat, go out to the cheeks, and cross again at the top. This would be U.B.5: 五處 (5 Dwellings/Departments - Chu is a place of stopping. Philip felt the 5 relates to this being the fifth crossing). Kiiko calls it 5 Branching Point – thus related to the branching of energy of pulse (spirals). Thus U.B.5 can affect whole energetics of the abdomen, spine and the Zang.

Three chambers behind the Eye:

Ming Tang

Honey moon room

Upper Dan Tian

U.B.5 goes into the second chamber (?)

Right ST25 + Liv13 – very important for allergies (like fatty liver)

G.B.40 – sinus infection point

Kiiko cares to fix/check neck in back injuries – if neck gets better, L5 will get better

G.B.34 + S.J.4 – for calf tightness/cramps – use opposite side

Three types who cannot tell what they feel in the body (cannot give feedback):

- psychiatric
- very elderly
- on heavy medication
- also kids

Kiiko Matsumoto Santa Cruz Treatments, July 9-10, 2011

I. Melanoma:

53 year old woman
Melanoma on immune point (right) - 2000
Glaucoma – 2003
Head injury from car accident - 1995

Findings:

Right immune point scar	
Neck tension (S.J.15/S.I.14 area)	S.I. channel reflects eye problem
Ren9 pulse	
Ren7/6 – also pulsing	
ST25%	eye reflex
Liv14	
Right S.J.16	
DU20 (slightly left)	head injury DU20 made S.I. channel stiffness easier Also released glaucoma point (behind ear)
Left ST25 made DU20 better, S.I. channel better	
G.B.39 – released ST25 and changed both shoulders	
Above U.B.10, G.B.20 (outside)	reflect eyes
Right T7, right T9	Liver

Treatment:

Left S.J.5 + G.B.39	to treat Dan Tian
Right S.J.5 + G.B.39	left because damage is on right side of brain made glaucoma point better (50%) now melanoma scar (immune) is better
Right ST27	L.I. Mu – further released melanoma scar
Glaucoma point (behind ear)	released ST25
U.B.1, Yu Yao	now ST25 is fully released
Right ST24	for Ren9 pulse
Liv9	cancer point
G.B.7	Peyes points for dry eyes
Middle of big toe (moxa)	for red eyes

Back:

G.B.39	again (easier to find) +moxa
T9	Cleared U.B.10, G.B.20 and T7, T9

II. Melanoma & Ovarian cancer:

50 year old woman

1981 – car accident, head trauma – hit head on right side

2007 – July: melanoma removed from left inner calf

2007 – December: ovarian cancer – full hysterectomy + chemo

Left temporal H.A. started after she started taking synthroid (unclear when)

Findings:

Dent behind right ear – G.B.18 area (Kiiko called G.B.18, but really more like G.B.9)

Left temporal (H.A.)

Scar Ren2 to Ren12

Melanoma scar on Kid9 (left)

Ren9 – pain and hard

Ren12

Ren4

Oketsu

Liver – under ribs

Spleen side under ribs

lymph glands belong to Spleen

C3 %

Middle and lower SCM, more on right (neurological, thyroid)

Toes – hurt, on left most on fourth toe, on right second, third and fourth.

Ren17

Left SP20

Left SP2

lymph removal

Right Kid2

L3-L4

adrenal reflex on back

T5

expected because low appetite after chemo)

T6, T7

Sacrum pain

Treatment:

Right Kid7 + 10
Left Kid10
Left SP5 + SP9

Metal/Water (Kid2 pain)
uterus
lymph & SP2 pain

Left S.J.5 + G.B.39

Left Kid11 released Kid9 scar and temporal
eased fourth toe
Ren4 is better
Oketsu – changed
Kid9 – better
left SCM now better

Kid11 + moxa

Right S.J.5 + G.B.39
Mu Shu (Dan Tian Slice)

Right ST24 + moxa

released Ren17 and left SP20

Kid9 + L.I.15 (right only)
Liv4 + Liv8 – right

medication (synthroid) caused a symptom
medication, also she had Liv2 pain

P.4 %

Back:

DU2

made L3-L4 better, also T5, T6, T7

L5

continuation of Dan Tian treatment

U.B.52

continuation of Ren9 pulse treatment

T5 + moxa

III. Melanoma and Migraine:

Woman with history of allergies
Migraines
Melanoma on Ren19 (Zi Gong)

Findings:

Ren19 scar	released with HT2
Temporal area	
S.J.17, also top of SCM	ear infection started headaches
Middle SCM	

Ren9 – ropy
ST25%

Right Kid2

Treatment:

HT2	for Zi Gong (Ren19 scar)
Immune – 3 points	for hairline (temporal) H.A.
G.B.39 + S.J.5	for H.A. behind eyes, and for SCM
Right ST24	
Kid13	continuation of Zi Gong treatment
Kid7, Kid10 + SP7 - right Kid6 + SP7 – left	for S.J.17 (also Kid2 pain) (moxa on SP7)
ST26 – left	for left HT3 broken bone pain (Manaka S.I. Mu)
Navel	for sinus allergies
Right ST25 + Liv13	for allergies (liver)
G.B.40 – moxa L.I.2	sinus itchy eyes

IV. Uterine cancer:

72 year old woman – uterine cancer, hysterectomy

Radiation

Groin lymph nodes removed

L5 pain – going down G.B. channel

Type II diabetes

Findings:

Trochanter pain (where radiation was given)

G.B.27 (left) laparoscopy scar

Ren2 – laparoscopy hole - pain

Liv12 (Lymph removed area)

ST28 % ovary reflex

Ren12, ST21 (right – pain, left “gas feeling”) pancreatic abdomen

Liv14, also under ribs

C3 – right

SCM (right – neurological & thyroid)

G.B.26 made trochanter better – this is Liver Mu

G.B.24 also better

SP2

Kid2 (right)

Piriformis – 3 places

T11, T5, T6, T8 (pancreatic findings)

Treatment:

Kid7 + Kid10 (right)

SP5 + SP9, Liv4 + Liv8 (left)

U.B.2, Yu Yao

IBS treatment (she said “gas pain”)

IBS

SP5 (right)

G.B.26 – left

moxa both SP5 – for lymph

Liv1 (right)

Left S.J.5

adding right S.J.5

Liver Def.

for right C3

eliminated C3 fully

Kiiko feels she missed Ren9 because chubby

but she is sympathetic dominant

Right ST24

Back:

DU2

sympathetic dominance
Eliminated spinal reflexes
made piriformis better

Under-3rd- Toe

L5

she has disc problem at L5)

T11,12

T5

G.B.34 + S.J.4 (left)

for right calf Charlie horse
muscle cramps

SP3 (right)

Now piriformis is better

S.I.13

to release piriformis
S.I.13 is related to Dan Tian – she has Ren2)

Under scapular spine

for lymph nodes

V. Cervical cancer:

60 year old woman
Tonsils removed
2004 – carpal tunnel
4 pregnancies
March 2010 - cervical cancer : radiation and hysterectomy and chemo
Now: colitis, diarrhea

Findings:

Ren3, Ren4
Ren9
Left St23
Left Spleen channel towards Stomach
Right ST28, ST30

Liver Cancer point – made ST30, 28 better
Also Ren3,4
Under-2ed-Toe – makes findings better

Sacrum foramens (where radiation was given)
around U.B.25

Treatment:

Liv9
Under-2nd-Toe + moxa

Cancer points

Kid9 + 27
L.I.15 + moxa

Only Ren4 is left now
for radiation: released thyroid on SCM%

Right ST24

Ren9 – only one not changed
after moxa on right L.I.15 – better

Mu Shu

for Ren4

Liv5 + Liv8 %

Liv8 for uterus, Liv5 for cancer (termite)

LU8

DU2 pain (radiation weakened DU2)
DU2 made Ren2 better
for DU2

Back:

LU8
U.B.63

made DU2 better and released sacrum
because of watery diarrhea

VI. Breast cancer & Lymph edema:

58 year old woman
2008 breast cancer
Mom had breast cancer at age 42

Findings:

Left ST30 - hole for hysterectomy (done orthoscopically)
Left armpit and pectoralis

Ren4, Ren6
Ren9 (no pulse but pressure pain)
Ren17
Ren19
Liver (sharp on Liv14 and also under ribs)

Pinching lower arm – HT, Per, LU: feels thick/heavy on Pericardium

Liv2 (left)
Kid2 (right)

T7, T5
U.B.32
L5

Cancer point fixes ST30, armpit, Ren4
in back of sternum pain (radiation place)
hormonal

Treatment:

Liv9
SP9 (left)

Liv8 (left)

SP9 (right)

Kid9, L.I.15
Kid7 (right)

G.B.34

S.J.5

Back:

Under scapular spine
G.B.39
U.B.43

cancer point
anything lymph or joint
(she also has joint pain from Tamoxifen)
Liv2 (left) pain

radiation
Fire point (Kid2)

for hot flushes and calves

cannot use Ren17 (Mu for per channel)
use Ren6 (rapid pulse)

for Ren17 and Dan Tian
Now Pericardium channel feels softer

lymph edema
radiation attacks marrow
genetic (mom had cancer also)

VII. Lung Cancer:

71 year old woman
metastasis from lung to liver and bones (ribs, shoulders)
currently doing chemo
nausea is treated with prednisone
tailbone injury during childbirh

Findings:

Ribs (right side, below rib and lateral Liv14 to Liv13) and G.B.22
Left side seems okay

Ren2 scar (catheter for prolapse – she has incontinenence) has inguinal pressure with bowel movement
inguinal pressure pain

Ren9

Ren12, Ren13 pancreatic abdomen
ST21 %

Ren20 Flower Lid – cover is Lung
Rhomboid pain reflects lungs

Liv9 made inguinal better, ribs better, ST21 better

Treatment:

Liv9 cancer point
right ST21 still shows (nausea feeling)

Kid6, Kid27 + SP5 % Pancreatic abdomen
Moxa SP5

LU8 checking tail bone (also age 10 injury)
for tailbone

Ren21 Sextant for North Star (bladder)

Kid9 (3 fingers below Kid10) morphine has caused headaches
Fixed pressure pain on Yu Yao, G.B.14

Under-2nd-Toe fixed Ren20

Side:

Trochanter points (3 points) for rhomboid
T11,12 pancreatic abdomen
T6,7,8 related to pancreas
DU12 neurological
G.B.17 Correct Function – released mid SCM

VIII. Lymph edema:

57 year old woman
Breast cancer (right)
Lymipedema right armpit
Neuropathy in hands

Findings:

Ren9 - pulse
Ren6
Oketsu
Right HT1 area, a few spots + pectoralis
SCM – middle
Pinching upper arm – S.I. feels uncomfortable, HT feels “weird”
ST26 (S.I. Mu by Manaka) – makes arm better
Ren14 – made Heart channel less weird

Treatment:

Liv9	cancer point
Ren14	armpit is better, heart channel improved
Right ST26	for S.I. channel
	Trying Kid6 for neuropathy in fingers
	Neither Kid6 nor Kid9 (chemo) worked
	to release G.B.26, and armpit
Right Kid7	
Right G.B.26	
Right ST24	
G.B.17	for mid SCM (point was more like G.B.9)
Liv4 + LU5	Okestu
Kid9 + L.I.15	radiation
SP9	lymph
Ren6	for rapid pulse

Back:

Under Scapular spine – 3 needles on right	lymph
U.B.52	continuation of Ren9 pulse treatment
S.I.11 (left)	for numbness/tingling hand
T11,12	Sugar points for numbness
U.B.42	oxygen for numbness
Kid6	now it was working
	Kiiko thinks this is hormonal

IX Melanoma:

53 year old man
T5 area melanoma, also T4, T6
Car accident- age 20, removal of left Kidney and Spleen, swollen lymph since
Ulcerative colitis

Findings:

Ren14
under ribs on left side
Ren17
SP20 (left)
Ren9 – pulse
Kid16 (left)
Ren6
Ren4
SCM (right)

Treatment:

Liv9	cancer point Corrected everything except Ren9
Right ST24	
Under-2nd-Toe	
Malaria (Spleen) point	level with DU20 left between U.B. & G.B. Bridge of nose injury (age 17)
U.B.5	for nose bridge (Yin Tang area) injury related to both 3 chambers behind eye also related to his missing organs – tapping into injured spirals.