

Kiiko Matsumoto Santa Cruz, September 15-16, 2012

厥 Jue:

Meaning of Jue, 厥:

the end, 厥月 is December moon

originally it had foot in it (足厥), so it implied “walking and falling down”
but not due to external obstacle

In Su Wen, Wind appears 43 times, heat 44 times, and Jue 45 times

Nan Jing 60:

Two kinds of headache, two kinds of heart pain, one is True (真), the other is Jue

Jue headache - Wind Heat does not leave the body (NJ 60 specifies Wind Cold)
True headache - something goes into the brain

Jue heart pain – Qi of 5 Zang mis-communicate
Kiiko thinks this is like panic attack

True heart pain – fatal disease, death
e.g. heart attack

Nagano – temporal headache is from swollen glands (use Immune points)
for Kiiko Jue headache is like that

Ling Shu 75:

If Jue is in feet, Zong Qi cannot go down, blood in vessels coagulates
Perhaps a blood clot

Ling Shu Zong Qi – more respiratory
Su Wen Zong Qi – more heart pounding

Varicosity – this is related to Jue
also great for neuropathy
also Parkinson’s (easy to fall down)
panic attack, hard to breathe

Su Wen 5:

If Jue Qi comes upwards, the vessel is over-full
then body/shape is destroyed/broken
(厥氣上行，滿脈去形 Jue Qi Shang Xing, Man Mai Qu Xing
Jue Qi above what is proper, fills the pulse empties shape
Avi: Qu, empty - lifting the cover and emptying vessel, like sucking it out?)

Maruyama Jue Points:

Maruyama was a Su Wen expert, he was a TB survivor and treated by Sawada
(Sawada treatment of TB cured TB and left no deafness
Later with antibiotics, some people become deaf)

The Matuyama points were documented by his students, not by him directly

Kiiko started using Jue points for:

varicosity
panic attack
“funny leg” – edema, cold feet, knee operations, etc.

any head injury
bunion operations
Achilles pain

One of Maruyama’s followers treats alopecia with Jue points

Location:

Right on joint, where you bend (as if to bind the feet)

Jue Shao Yin – on the “fish mark” on Medicine Buddha feet
we are continuation of fish, not bird
bird does not die
fish die, and then returns, symbol of rebirth

LU10, 魚際 – Fish Border, points to heaven (in Daoist figure)
Lung is death (metal)
“if the pulse goes towards the Fish – you die”

coming back, potential of birth – this is Water/Kidney
Shao Yin Jue point is like fish pint (LU10) on the foot
it is in the fish area

Asthma patients (Jue is in the feet disturbing Zong Qi) –
press Jue Tai Yin (location is Lung)
+ Jue Shao Yin (inhalation is Kidney)

Neuropathy (cancer neuropathy)
Metatarsal bone issues (metatarsals, clavicle, mastoid – never fully heal)
Achilles tendon

Maruyama and Su Wen – advise to use moxa on Jue points

Nagano – cold feet create hot head

Diabetic neuropathy – use Jue tai Yin (diabetes) + Jue Tai Yang (location starts in calf)

Jue points are great for below the knee and for above the head

Jue Yang Ming – for IBS, Crohn's, reflux

Spleen is related to lymph and blood:
lymph and blood problems
can show on Spleen channel (below knee) as Jue: rough, bumpy on the channel

Neck:

Ren12 is best/essential for neck/cervicals

C1 subluxation (reflects at top of SCM) - creates many problems: back, hip, etc.
use Yao Tong Xue
you can move closer to the bone (proximal)
common for one side to show
with symptoms on face and ear
C1 subluxation – common to have back pain

C3 – phrenic nerve reflex
right side – Liver is pressing on diaphragm and activating phrenic nerve – Liv1
left side – use SP1 to release diaphragm

C4 – when you bend to look up, finger goes in – use ST9 in front of SCM
This is when you cannot move neck side to side

C5 - often shows on rhomboids and levator
treatment point is level with hyoid bone, behind SCM (behind ST9)
sometimes it is best to needle when patient is on side

C6, C7 is related to L5 - HT3 is best
if still pain – use HT1 area above/below
best to needle with arm up (look for ulnar nerve feeling)

G.B.20 pain – this is lack of estrogen: use U.B.66
Lack of estrogen – feet get cold, eyesight declines

Right G.B.20 – relates to Oketsu: use left Liv4 + LU5, then needle Oketsu area

Always check Scalenes
also if neck is out (torqued) it will pull on Scalenes

Hypothyroid – often shows just one side ST9, it shows both sides when it is severe

If clavicle bone is broken, it will heal bigger, and then shift to the neck

Any problem above neck – use DU12
combine with DU15 – to treat area between them

depression – also important to treat the neck

Sphenoid bone – use Kid9, Kid27, S.J.8
if sphenoid is out it affects everywhere
can create insomnia

L5, T7, C7 – all connect (T12 also): these are transition vertebrae

L5 use for cold feet

L5 – use for any symptom in lower body
also for cracked skin on heel
sciatica
Raynaud's

L3 – relates to whole side (G.B.) line:
Hip pain, sciatica, etc.

T7 and L2 – very important for ear

G.B.10 – Fu Bai (浮白) for tinnitus – Kiiko seems to take closer to G.B.9

G.B..39 – brain point

Multiple head injuries – good chance for Stagnant Blood in Head, check DU20

Si Shen Cong – treats DU20
(Kiiko seems to take this further back and out,
Kind of like a ST8 on the back of the head)

G.B.34 – whether for sacrum or for hand (opposite side)
look for point that radiates down the channel
G.B.34 treats sacrum, and sacrum can treat G.B.34

S.I.11 – very important for hand pain, especially for little finger
best for knuckles
if gummy – surround it

LU10 area pain – use SP6 + LU7
then also check neck

Contracture of fingers:
Liv8 – same side
G.B.34 – opposite side
+ Pericardium Metal/Water
Dai Mai for trigger finger

Quadriceps – very important to treat ST/SP Shu

Inguinal – it is a ligament, use Liv4
use opposite G.B.27/28 area

Ren9 pulse – due to heart and Ming Men not communicating
weak Dan Tian
person who cannot relax shows Ren9 (area) pulse by Nagano

3000 gauss magnet is best for treatment (same as ITO F3 magnets)
for “take home” – use 800 gauss, but 3000 on treatment table

Moxa:

if cold
skin is warm but inside is cold (use kytoshin)
edema
sticky, sweaty point

Pain Killer points:

Insomnia
U.B.2, Yu Yao

Case I:

Frost bitten feet as a child
stripped veins as a child
gas
Feet are blue at bottom

Findings:

Right Liv13
Right ST26
Spleen channel sensitivity % Jue
Right Liver channel
Right U.B. calf area sensitivity

Treatment:

Right Jue Tai Yin + okyu
Right Jue Jue Yin + okyu alleviated ST26 and Liv13
But no change on Spleen and Liver channel
Right Tai Yang + okyu
Left Jue Tai Yin + okyu after the moxa, the Sp & Liv channels were easier
Colour of feet was now less blue

Case II:

23 year old woman
Hypothyroidism
Pain – back of hand, also weakness
 mostly right hand, also left (left is chronic)
occipital headache
Bladder irritation

Findings:

Ren2
Kid11 (she said she did not want bladder treated)

DU15
C3
C5
below ST9 (more on right side)
Right Scalenes

Ren12 – made neck better

Treatment:

Ren12 best for cervicals
Right ST24 + kyutoshin for Ren9 pulse
Jue Shao Yin + okyu for thyroid
Jue Tai Yin + okyu for scalenes

Right ST25 + kyutoshin for right hand (Mu of San Jiao for Shu stream pain)
Left G.B.34 for right hand pain (S.J.3)
Right Liv8 tendons
ST9 Still some pain on cervicals
for C4
Adding okyu (after kyutoshin) on ST25

Back:

Findings:

Right S.I.11
Right mastoid
DU14 (right) discomfort

Treatment:

Right S.I.11 4 needles – surround it: for right hand
Right Liv13 for mastoid

L5 for DU14, also for extremely cold feet
Right HT3 for S.I.11 puffy

Jue Shao Yang + okyu (hand is on San Jiao)
Jue Tai Yang + okyu for S.I.11

Case III:

48 year old man
right foot pain for one month
prior – right hip and knee pain
age 25 – back pain
acute pancreatitis – 2 months ago
history of asthma, bronchitis
hemophilia factor (runs in family), non-symptomatic

Findings:

right inguinal
nothing on G.B.26
slight sensitivity when tapping on GB slightly elevated bilirubin
Ren12 pancreatitis
right ST21
Odi
Right G.B.33 knee pain area
Left ST34 area he changed his gait and know Quad is weak
SP3 alleviated ST34, as did T11, 12

right Kid2
right SCM
right C3 pain

Treatment:

right SP5 (+ okyu) pancreatitis
right Kid7, 10 + 27
left SP3 + okyu sugar/muscular
left Liv4 for inguinal (it is a ligament)
left Immune
right Liv1 + okyu for C1
left top ASIS for opposite side inguinal
Yao Tong Xue for top of SCM, C1 shift reflex
now hip is better
right foot still pain (U.B.65-66)
possibly bone (already did Kid7)
Right U.B.63 – against channel take out heat feeling in U.B. (boil point)
Left Jue Tai Yin for ST34 (Quad is SP/ST)

Back:

left U.B.20, U.B.21 for quadriceps
T11,12 (on DU) Sugar
T7 pancreas
left Jue Yang Ming adding for ST34 (quads)
L5 made foot better
L3 for hip
U.B.43 helped foot and quad
Hemophilia runs in family
Left Jue Jue Yin for knee – perhaps it is ligament: slightly improved.

Case V:

49 year old woman
numbness in fingers (left)
neck pain – C7 and G.B.20
migranes
history of menstrual cramps and miscarriages
age 40: menstrual cycle shortened (due to trauma) and started using estrogen patch

Findings:

| | |
|------------------|--|
| G.B.20 | estrogen imbalance: alleviated by U.B.66 |
| ST28 | ovary reflex: also better with U.B.66 |
| Kid13 | uterus reflex – also helped by U.B.66 |
| Ren9 pulse | |
| right piriformis | “pregnancy muscle” – better with U.B.66 gone when adding U.B.32 |

Back Treatment:

| | |
|--------------------|------------------------|
| U.B.66 + okyu | estrogen balance point |
| U.B.32 + Kyutoshin | women’s gyn point |
| L5 | |
| U.B.52 | for Ren9 pulse |
| Left S.I.11 | for left fingers |
| U.B.42 | oxygen (for numbness) |
| T11,12 | sugar (for numbness) |

Front Treatment:

C5 still had some pain

| | |
|-----------------|---------------|
| Ren12 | alleviated C5 |
| left behind ST9 | for C5 |

leaving magnets on U.B.66

Case VII:

Demo case for C4, C5

Findings:

C4, C5 pain
G.B.20 pain
ST28% + Kid13
Left SP20

gyn reflexes
(Ren9 is assumed – Kiiko did not check)

Treatment:

U.B.66
Liv4 + LU5
+ left ST26
Ren12
ST9 (front)
ST9 (behind)
Jue Shao Yin
right ST24 + left G.B.26

G.B.20 – estrogen/gyn
Oketsu (for right G.B.20)

neck/cervicals
C4
C5
gyn also neck/bone
for left SP20 and Ren9

Back:

Left U.B.35 + kytoshin
U.B.32 % + kytoshin
T7
T3 (DU12) + Du15
U.B.52
Immune

Oketsu
gyn line on abdomen
Oketsu
for neck
(ren9 pulse assumed because of left SP20)
for S.J.16 in neck

Case VIII:

chin injury
tender g.B.20 area
bad menstrual periods

Findings:

ST28
Ren9 pulse
Oketsu
left SCM
C5 - right
behind ST9 (on right) is hard/ropy
right S.J.17 ear/TMJ

Treatment:

Liv4, LU5 Oketsu
Immune
Left ST26 for G.B.20 (right)
ST9 (front) % C4
ST9 (behind) % C5
Right Liv1 C3 on the right
though Liver does not show
- it must be Liver Deficiency

Liv14
right ST24 + kyutoshin

Side:

Findings:

T7 oketsu
Sacro-iliac joint is gummy

Treatment:

right G.B.34 + okyu for S.I. joint
U.B.32 % menstrual cycle (ST28 shows)
Left U.B.35 + kyutoshin Oketsu
T7 + L2 for ear
Liv13 for mastoid
DU12 + DU15 for neck

Case IX:

left temporal headache
left neck pain
left facial pain
tinnitus (left ear)
kicked in April: head concussion, trigeminal/occipital nerve injury
knee surgeries
L5 injury

Findings:

left temple where he was hit
it radiates to the jaw
on G.B. temple area to ST8 and to G.B.15

Treatment:

left Jue Shao Yin + okyu brain/concussion
left Imune for temple
right G.B.17/Speech Area this is contra-coup to left temple
alleviated left temple

chin – where it radiates to because of chin involvement (also face)
DU20 + Ren22 DU15/16 very painful and ST9 alleviated
ST9 (though it is not C4)

Jue Tai Yang S.I.18 pain
Jue Shao Yang G.B. in face
L.I.4 add for face
Liv13 mastoid
Left Kid9, Kid27, S.J.8 for sphenoid
adding Kid16
Insomnia point + okyu

HT3 Now pain is better but ringing is still there
Ren12 tinnitus point

On Side:

T7 + L2 for ear
SP5, SP9, Under Scapular Spine lymph node removed in neck
SP1 okyu (no needle due to SP5/9) for C3 (related to ear)
G.B.10 tinnitus
DU12 any problem above neck (C7)
G.B.39 brain point: it calmed his “brain buzzing”
Si Shen Cong for DU20
(took lateral and posterior to standard location)

Press tack on G.B.39

